

## **Coir Log Rolls**

Coir Log Rolls are manufactured from 100% biodegradable virgin coir fibre's and pre-established at a specialist UK nursery using only UK native wetland plants. Coir Log Rolls are planted at a rate of 6 plants per Lin Metre and grown outdoors for a minimum of 12 weeks during the growing season and until roots are well established. Netting is manufactured from a 3mmф UV stabilised polypropylene multi filament net in a diamond mesh pattern 50mm x 50mm aperture with a minimum tensile strength of 0.84kN & breaking strength > 102kg. Coir fibre infill should be typically 100mm to 150mm long. Coir fibre shall have a compressed density of 8kg/metre (based on 300mm diameter coir roll) and shall not compress more that 15% when an 80kg weight (average man) is applied.



Pre-Established Coir Rolls			
REF: GF40PPCR*	400mm x 2.2m Long	12kg per Im dry	
REF: GF30PPCR	300mm x 2.2m Long	8kg per lm dry	
REF: GF20PPCR	200mm x 2.2m Long	6kg per lm dry	

<sup>\*400</sup>mm are grown to order.

## **Standard Plant Mix**

Carex acutiformis (Lesser Pond Sedge) Juncus effusus (Soft Rush) Lythrum salicaria (Purple Loosestrife) Iris pseufacorus (Yellow Flag Iris) Phalaris arundinacea (Reed Canary Grass)



Plain Coir Rolls		
REF: GF40UNCR	400mm x 2.2m Long	12kg per Im dry
REF: GF30UNCR	300mm x 2.2m Long	8kg per lm dry
REF: GF20UNCR	200mm x 2.2m Long	6kg per lm dry

