



# Covamat Fresh Type 2F



Exclusive organic biodegradable erosion control blanket incorporating standard and specified seed mixes suitable for various soil and climatic conditions. Covamat Fresh improves poor soil conditions with the addition of organic fertiliser, micro-organisms and 5mm of top soil. It is also available in different fibre combinations and reinforced meshes for short, medium and long-term degradation (up to 36 months). The additional layer of topsoil exclusive to Covamat Fresh allows seed to commence germination once rolls are manufactured. With this in mind Covamat Fresh requires immediate installation upon arrival on site. Specially designed for inherently stable embankments, freshly-soiled embankments, new slope cuttings, lining new water-courses, balancing ponds, facing reinforced soil slopes, lake edgings, protection of natural monuments, establishing wild flowers and road ditching

| Specification  | Width (m) | Length (m) | Area (m <sup>2</sup> ) |
|--|-----------|------------|------------------------|
| 50% coir fibres - 50% straw. Seed mix embedded in mulch-layer, fertiliser SOF- A-100, dry micro-organisms and top soil layer, top and bottom degradable polypropylene-mesh, ~1200 g/m <sup>2</sup> | 1.2       | 15         | 18                     |
|  | 2.4       | 15         | 36                     |

Green-tech endeavour to ensure that the information given on this technical data sheet is accurate, but accept no liability for its use or its suitability for particular application.

Rabbit Hill Business Park, Great North Road, Arkendale, Knaresborough HG5 0FF

T: 01423 332100 E: sales@green-tech.co.uk W: www.green-tech.co.uk Facebook: @greentechuk Twitter: @greentechltd



| <b>Fibre</b>                                 | <b>Straw</b>                          |
|--|---------------------------------------|
| Fibre Content (%)                            | 50% - 50%                             |
| Weight/Total (g/m <sup>2</sup> )             | ~ 1200                                |
| Weight/Fibre (g/m <sup>2</sup> )             | 450                                   |
| Weight/Seedmix (g/m <sup>2</sup> )           | 35 - 50                               |
| Weight/Mulchlayer (g/m <sup>2</sup> )        | ~ 100                                 |
| Weight/5mm Topsoil Layer (g/m <sup>2</sup> ) | ~ 500                                 |
| Weight/Paperlayer (g/m <sup>2</sup> )        | 30                                    |
| Micro-Organisms                              | Bacillus Subtillis 1 g/m <sup>2</sup> |
| Organic Fertiliser Type SOF-A-100            | ~ 100 g/m <sup>2</sup>                |
| Functional Longevity (months)                | 18 - 24                               |

Mulchlayer: The mulch layer is a combination of coir-dust, chopped straw, chopped hay and coir-waste for seed embedment and vegetation enhancement.

| <b>Structure</b>                                 | <b>Value</b>                                |
|--|---|
| Bottom Netting Type                              | Light                                       |
| Top Netting Type                                 | Medium                                      |
| Bottom Netting Size                              | 9 x 9mm                                     |
| Top Netting Size                                 | 19 x 36mm                                   |
| Bottom Netting Weight                            | 4.8 g/m <sup>2</sup>                        |
| Top Netting Weight                               | 7.1 g/m <sup>2</sup>                        |
| Stitching Thread                                 | Polypropylene-thread (brown), UV degradable |
| Stitching Thread Tensile Strength                | 6.5 cN/dtex                                 |
| Slope Recommendation                             | 1:1 or >                                    |
| <b>Standards</b>                                 |   |
| Tensile Strength ISO-10319                       | 2.8kg-force per 20cm                        |
| D4595 Elongation (%)                             | 34 x 20                                     |
| D4491 Flow Velocities, Short Term                | 4.26 m/s                                    |
| Max Permissible Shear Stress (g/m <sup>2</sup> ) | 1100  |
| "n" value Roughness Coefficient                  | 0.014                                       |

Green-tech endeavour to ensure that the information given on this technical data sheet is accurate, but accept no liability for its use or its suitability for particular application.

Rabbit Hill Business Park, Great North Road, Arkendale, Knaresborough HG5 0FF

T: 01423 332100 E: sales@green-tech.co.uk W: www.green-tech.co.uk Facebook: @greentechuk Twitter: @greentechltd



The following standard seed mixes can be selected for the Covamat range. These seed mixes compliment and support each other giving multiple use and flexibility in application. Covamat contains fertiliser, micro-organisms and mulch to improve germination rates and soil conditions. Other specified regional seed mixes can be added if required.

| English Name & Advantages  | Latin                      | 1A  | 1C  | 2A  | 2B  | 2C  | Pioneer |
|--|----------------------------|-----|-----|-----|-----|-----|---------|
| Perennial ryegrass; Quick to establish, wear tolerant and regenerative           | <i>Lolium perenne</i>      | 30% | 27% | -   | -   | -   | 25%     |
| Creeping red fescue; Binds, drought and salt tolerant, good erosion protection   | <i>Festuca rubra rubra</i> | 30% | 27% | 35% | 25% | 25% | 25%     |
| Chewings fescue; Low maintenance, good for dry low nutrient soil, shade tolerant | <i>Festuca commutata</i>   | 30% | 27% | 30% | 30% | 25% | -       |
| Smooth stalked meadow grass; Binds soil, good warer and regenerative qualities   | <i>Poa pratensis</i>       | 10% | 12% | 30% | 20% | 10% | -       |
| Brown top bent; Cold tolerant, low maintance, rhizomous, very dense growth       | <i>Agrostis tenuis</i>     | -   | -   | 5%  | 5%  | 5%  | 10%     |
| Sheeps fescue; For poor soils, drought tolerant, densely tufted                  | <i>Festuca ovina</i>       | -   | -   | -   | 20% | 28% | 15%     |
| Red clover; Dark pink flower, nitrogen fixing                                    | <i>Trifolium pratensis</i> | -   | 3%  | -   | -   | 3%  | 7%      |
| White clover, spreads rapidly in moist soil                                      | <i>Trifolium repens</i>    | -   | 2%  | -   | -   | 2%  | 7%      |
| Birdsfoot trefoil; Used in dry, sandy soils                                      | <i>Lotus corniculatus</i>  | -   | 1%  | -   | -   | 1%  | 2%      |
| Yellow trefoil; Thrives in dry conditions  | <i>Medicago lupulina</i>   | -   | 1%  | -   | -   | 1%  | 3%      |
| Suckling clover (Irish Shamrock)   | <i>Trifolium dubium</i>    | -   | -   | -   | -   | -   | 2%      |
| Alsike clover  | <i>Trifolium hybridum</i>  | -   | -   | -   | -   | -   | 4%      |

Green-tech endeavour to ensure that the information given on this technical data sheet is accurate, but accept no liability for its use or its suitability for particular application.


Rabbit Hill Business Park, Great North Road, Arkendale, Knaresborough HG5 0FF

T: 01423 332100 E: sales@green-tech.co.uk W: www.green-tech.co.uk Facebook: @greentechuk Twitter: @greentechltd



| English Name & Advantages | Latin | 1A  | 1C | 2A | 2B | 2C | Pioneer |
|---------------------------|-------|---|----|----|----|----|---------|
| <b>1A</b>                 |       | Rapid establishment and hard wearing, good for steep slopes and flood-endangered areas. Excellent sod forming and erosion protection, strong root development, salt resistant |    |    |    |    |         |
| <b>1C</b>                 |       | As per 1A and with clover added for poor soils. <i>Most widely used mix.</i> Good for road embankments, swales and coastal applications.                                      |    |    |    |    |         |
| <b>2A</b>                 |       | Low maintenance, shade tolerant. Use in better quality soils. Strong root development and erosion protection. Salt resistant.   |    |    |    |    |         |
| <b>2B</b>                 |       | Dry stony soils, strong root development, erosion protection and salt resistant.  |    |    |    |    |         |
| <b>2C</b>                 |       | As per 2A with clover added for poor soils.   |    |    |    |    |         |
| <b>Pioneer</b>            |       | For poor soils with establishment problems. 50 g/m <sup>2</sup><br><i>Please note: this seed mix will incur an extra cost of £0.20m<sup>2</sup>.</i>                          |    |    |    |    |         |

Clovers and legumes are added where poor soil conditions exist but should not be used in good quality soils as they can dominate. They fix Nitrogen into the soil to improve fertility, which is good for swales and ponds.



Green-tech endeavour to ensure that the information given on this technical data sheet is accurate, but accept no liability for its use or its suitability for particular application.

Rabbit Hill Business Park, Great North Road, Arkendale, Knaresborough HG5 0FF

T: 01423 332100 E: sales@green-tech.co.uk W: www.green-tech.co.uk Facebook: @greentechuk Twitter: @greentechltd