



NEW-WAY WEED SPRAY

5 Litres **C**

Distributed by Headland Amenity Limited, I Burr Elm Court, Main Street, Caldecote,

Cambridge, Cambridgeshire CB23 7NU. Tel: 01223 491090 Web: www.headlandamenity.com

Contains Alcohol ethoxylate, C13 EC 931-138-8; Acetic acid 240g/l EC 200-580-7 MAPP 15319

For weed control in parks, amenity areas and church yards, on pathways, around domestic, industrial and public buildings, and similar situations.

The Control of Substances Hazardous to Health (COSHH) Regulations may apply to the use of this product at work.

DANGER
H318 Causes serious eye damage.
H315 Causes skin irritation.
P280 Wear protective gloves/protective
clothing/eye protection/face protection.
P302+P32E FON SKIN: Wash with plenty of water.
P305+P31E F733 IF IN EYES: Rinse cautiously
with water for several minutes.
Remove contact lenses if present and easy to do.
Continue rinsits.

Continue rinsing. P310 Immediately call a POISON CENTER/doctor. P332+P313 If skin irritation occurs:

P332+P313 If skin irritation occurs:
Get medical advice/attention.
P362+P364 Take off contaminated clothing and wash it before

reuse. EUH401 To avoid risks to human health and the environment, comply with the

instructions for use.

Dangerous to bees. To protect bees and pollinating insects do not apply to crop plants when in flower Do not use where bees are actively foraging. Do not apply when flowering weeds are present. Do not contaminate water with the product or its containing.

IMPORTANT INFORMATION

FOR USE ONLY AS AN INDUSTRIAL HERBICIDE AND MOSSKILLER

Situations: Natural surfaces not intended to bear vegetation. Permeable surfaces overlying soil. Hard surfaces.

Maximum individual dose: 25 ml product per m².

Maximum number of treatments: 6 per year.
Other specific restrictions: A minimum interval of 7 days must be observed between applications.

DE OSERVED DEWEEN APPLICATIONS.
READ THE LABEL BEFORE USE. USING THIS PRODUCT IN A MANNER THAT IS INCONSISTENT WITH THE LABEL MAY BEAN OFFENCE. FOLLOW THE CODE OF PRACTICE FOR USING PLANT PROTECTION PRODUCTS.

SAFETY PRECAUTIONS

SAFETY PRECAUTIONS
Operatory protection
Engineering control of operator exposure must be used where reasonably practicable in a control of operator exposure must be used where reasonably practicable in a control of operator exposure must be used where reasonably practicable in a control of operator in the control of the

Environmental protection

Do not apply where rainfall is expected within 6 hours of application. **Do not contaminate with the product or its container**. (Do not dean application equipment near winter accessed to discontainiation with a drains from farmyards and roads). To protect quality conganisms respect an unsprayed buffer zone to surface water bodies in line with LERAP requirements.

DO NOT ALLOW DIRECT SPRAY from hand- held sprayers to fall within Im of the top of the bank of a static or flowing water body. Alm spray away from water Dangerous to bees. To protect bees and pollinating insects do not apply to crop plants when in flower. Do not use where bees are actively foraging. Do not apply when flowering weeds are present. RISK TO NON-TARGET INSECTS OR OTHER ARTHROPODS. See Directions for use. Applications must not be made via tractor mounted horizontal boom sprayers.

Storage & Disposal
KEEP IN ORIGINAL CONTAINER, tightly closed, in a safe place. Keep out of reach of children. Keep away from
food, drink and animal feeding stuffs. This material and it's container must be disposed of in a safe way.

To avoid risks to man and the environment, comply with the instructions for use. Safety data sheet available for professional user on request. This product is approved under the Plant Protection Products Regulations.

DIRECTIONS FOR USE IMPORTANT: This information is approved as part of the Product Label. All instructions within this section must be read carefully in order to obtain safe and successful use of this product.

New-Way Weed Spray is a non-selective weed and moss killer active against most soft plant tissue with which it comes in contact. Weeds and moss are controlled by covering their foliage completely and evenly with spray. Soon after spraying, the foliage of treated weeds and moss begins to wither and die. Plant roots are not killed and new foliage may grow, particularly from the roots of perennial weeds. Annual weeds with small roots and moss may die back completely but re-treatment will usually be necessary, especially to keep down perennial weeds. As for weeds, best results are achieved against tender, small weeds less than 10cm high, ideally spray in spring and repeat as necessary over the growing season. Minimise drift from the target area.

Areas of use

New-Way Weed Spray may be used to control weed or moss growth in a wide variety of situations, such as in parks, amenity areas and churchyards, on pathways, around domestic, industrial and public buildings, and similar situations. Keep spray off vegetables, flowers, shrubs and fawns.

Apply as a COARSE spray so that the moss or the weed leaves and stems are fully wetted but before the point at which spray solution drips from the leaves. Repeat against surviving weeds after a few days if necessary, when fresh growth is seen.

Mixing
Mix I yolume of New-Way Weed Spray with 3 volumes of clean water, e.g. for a 16 litre knapsack sprayer mix 4 litres of New-Way Weed Spray with 12 litres of water.

1. Half-fill the spray tank with clean water.

2. Add the required amount of New-Way Weed Spray.

3. Fill the tank with more clean water to the required level.

4. Agitate thoroughly before use.

Weather
Apply New-Way Weed Spray on a dry day when rain is not expected. Rain after spraying may wash spray away from the leaves leading to a poor result.

Apply this product carefully. Ensure spraying takes place only when weeds are actively growing (normally March to October) and is confined only to visible weeds including those in the 30cm swath covering the kerb edge and road gulley - do not overspray drains.

To a guiley - us in color-physical After spraying

Wash our sprayer after use. Keep people and animals off dense patches of weeds or moss until the spray has
dried, often just 15-20 minutes. However, this is not necessary for treated areas containing only occasional, low
or prostate weeds or moss such as may be found on pathways. Use of **New-Way Weed Spray** may cause
some surfaces to become slippery for a short time after application.

Subsequent planting
There are no residual effects of New-Way Weed Spray in the soil. Sowing or planting may be undertaken as soon as the moss or the weeds have died.

Care of equipment
Wash the sprayer and utensils, both inside and outside, thoroughly after use and allow to dry.

Punya Innovation ApS, Almevej 180, DK-3250 Gilleleje, Denmark. Tel: + 45 4830 1727

