

# SAFETY DATA SHEET

DOW AGROSCIENCES LIMITED

Safety Data Sheet according to Reg. (EU) No 2015/830

**Product name:** SYNERO™ Herbicide

**Revision Date:** 15.08.2018

**Version:** 5.1

**Date of last issue:** 28.07.2017

**Print Date:** 15.08.2018

DOW AGROSCIENCES LIMITED encourages you and expects you to read and understand the entire SDS as there is important information throughout the document. This SDS provides users with information relating to the protection of human health and safety at the workplace, protection of the environment and supports emergency response. Product users and applicators should primarily refer to the product label attached to or accompanying the product container.

---

## SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

---

### 1.1 Product identifier

**Product name:** SYNERO™ Herbicide

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

**Identified uses:** Plant Protection Product

### 1.3 Details of the supplier of the safety data sheet

#### COMPANY IDENTIFICATION

DOW AGROSCIENCES LIMITED

CPC2 CAPITAL PARK

FULBOURN

CAMBRIDGE

England

CB21 5XE

UNITED KINGDOM

**Customer Information Number:**

SDSQuestion@dow.com

### 1.4 EMERGENCY TELEPHONE NUMBER

**24-Hour Emergency Contact:** 0031 115 694 982

**Local Emergency Contact:** 00 31 115 69 4982

---

## SECTION 2: HAZARDS IDENTIFICATION

---

### 2.1 Classification of the substance or mixture

#### Classification according to Regulation (EC) No 1272/2008:

Serious eye damage - Category 1 - H318

Skin irritation - Category 2 - H315

Specific target organ toxicity - single exposure - Category 3 - Narcotic effects. - H336

Aspiration hazard - Category 1 - Aspiration hazard - H304

Acute aquatic toxicity - Category 1 - H400

Chronic aquatic toxicity - Category 1 - H410

For the full text of the H-Statements mentioned in this Section, see Section 16.

## 2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008:

Hazard pictograms



Signal word: DANGER

### Hazard statements

|      |   |
|------|---|
| H315 | Causes skin irritation.                               |
| H318 | Causes serious eye damage.                            |
| H336 | May cause drowsiness or dizziness.                    |
| H304 | May be fatal if swallowed and enters airways.         |
| H410 | Very toxic to aquatic life with long lasting effects. |

### Precautionary statements

|                       |   |
|-----------------------|---|
| P261                  | Avoid breathing vapours.  |
| P280                  | Wear protective gloves/ protective clothing/ eye protection/ face protection.   |
| P301 + P310           | IF SWALLOWED: Immediately call a POISON CENTER/doctor.  |
| P305 + P351<br>+ P338 | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  |
| P405                  | Store locked up.  |
| P501                  | Dispose of contents/container to a licensed hazardous-waste disposal contractor or collection site except for empty clean containers which can be disposed of as non-hazardous waste. |

### Supplemental information

|        |   |
|--------|---|
| EUH401 | To avoid risks to human health and the environment, comply with the instructions for use. |
| EUH208 | Contains: 1,2-benzisothiazol-3(2H)-one. May produce an allergic reaction.                 |

**Contains** Hydrocarbons, C10, aromatics, <1% naphthalene

## 2.3 Other hazards

No data available

---

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

---

### 3.2 Mixtures

This product is a mixture.

| <b>CASRN /<br/>EC-No. /<br/>Index-No.</b>  | <b>REACH<br/>Registration<br/>Number</b> | <b>Concentration</b> | <b>Component</b>  | <b>Classification:<br/>REGULATION (EC) No<br/>1272/2008</b>   |
|--|--|----------------------|---|---|
| <b>CASRN</b><br>81406-37-3<br><b>EC-No.</b><br>279-752-9<br><b>Index-No.</b><br>607-272-00-5 | –  | 14.2%                | fluoroxypyr-meptyl<br>(ISO)   | Aquatic Acute - 1 - H400<br>Aquatic Chronic - 1 - H410  |
| <b>CASRN</b><br>566191-87-5<br><b>EC-No.</b><br>Not available<br><b>Index-No.</b><br>–       | –  | 3.5%                 | Aminopyralid<br>Potassium   | Aquatic Acute - 1 - H400<br>Aquatic Chronic - 1 - H410  |
| <b>CASRN</b><br>Not Available<br><b>EC-No.</b><br>918-811-1<br><b>Index-No.</b><br>–         | 01-2119463583-34                         | > 30.0 - < 40.0 %    | Hydrocarbons, C10,<br>aromatics, <1%<br>naphthalene   | STOT SE - 3 - H336<br>Asp. Tox. - 1 - H304<br>Aquatic Chronic - 2 - H411                            |
| <b>CASRN</b><br>34590-94-8<br><b>EC-No.</b><br>252-104-2<br><b>Index-No.</b><br>–            | –  | > 20.0 - < 30.0 %    | Dipropylene glycol<br>monomethyl ether  | Not classified  |
| <b>CASRN</b><br>32612-48-9<br><b>EC-No.</b><br>608-760-0<br><b>Index-No.</b><br>–            | –  | < 5.0 %              | Poly(oxy-1,2-<br>ethanediyl), .alpha.-<br>sulfo-.omega.-<br>(dodecyloxy)-,<br>ammonium salt | Skin Irrit. - 2 - H315<br>Eye Irrit. - 2 - H319   |
| <b>CASRN</b><br>107-41-5<br><b>EC-No.</b><br>203-489-0<br><b>Index-No.</b><br>603-053-00-3   | 01-2119539582-35                         | < 5.0 %              | 2-methylpentane-<br>2,4-diol  | Skin Irrit. - 2 - H315<br>Eye Irrit. - 2 - H319   |
| <b>CASRN</b><br>91-20-3<br><b>EC-No.</b><br>202-049-5<br><b>Index-No.</b><br>601-052-00-2    | –  | < 1.0 %              | Naphthalene   | Acute Tox. - 4 - H302<br>Carc. - 2 - H351<br>Aquatic Acute - 1 - H400<br>Aquatic Chronic - 1 - H410 |

If present in this product, any not classified components disclosed above for which no country specific OEL value(s) is(are) indicated under Section 8, are being disclosed as voluntarily disclosed components.

For the full text of the H-Statements mentioned in this Section, see Section 16.

---

## SECTION 4: FIRST AID MEASURES

---

### 4.1 Description of first aid measures

#### General advice:

First Aid responders should pay attention to self-protection and use the recommended protective clothing (chemical resistant gloves, splash protection). If potential for exposure exists refer to Section 8 for specific personal protective equipment.

**Inhalation:** Move person to fresh air. If person is not breathing, call an emergency responder or ambulance, then give artificial respiration; if by mouth to mouth use rescuer protection (pocket mask etc). Call a poison control center or doctor for treatment advice.

**Skin contact:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. Suitable emergency safety shower facility should be available in work area.

**Eye contact:** Wash immediately and continuously with flowing water for at least 30 minutes. Remove contact lenses after the first 5 minutes and continue washing. Obtain prompt medical consultation, preferably from an ophthalmologist. Suitable emergency eye wash facility should be immediately available.

**Ingestion:** Immediately call a poison control center or doctor. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person.

### 4.2 Most important symptoms and effects, both acute and delayed:

Aside from the information found under Description of first aid measures (above) and Indication of immediate medical attention and special treatment needed (below), any additional important symptoms and effects are described in Section 11: Toxicology Information.

### 4.3 Indication of any immediate medical attention and special treatment needed

**Notes to physician:** Chemical eye burns may require extended irrigation. Obtain prompt consultation, preferably from an ophthalmologist. If lavage is performed, suggest endotracheal and/or esophageal control. Danger from lung aspiration must be weighed against toxicity when considering emptying the stomach. The decision of whether to induce vomiting or not should be made by a physician. No specific antidote. Treatment of exposure should be directed at the control of symptoms and the clinical condition of the patient. Excessive exposure may aggravate preexisting liver and kidney disease.

---

## SECTION 5: FIREFIGHTING MEASURES

---

### 5.1 Extinguishing media

**Suitable extinguishing media:** Water fog or fine spray. Dry chemical fire extinguishers. Carbon dioxide fire extinguishers. Foam. Alcohol resistant foams (ATC type) are preferred. General purpose

synthetic foams (including AFFF) or protein foams may function, but will be less effective. Water fog, applied gently may be used as a blanket for fire extinguishment.

**Unsuitable extinguishing media:** Do not use direct water stream. May spread fire.

### 5.2 Special hazards arising from the substance or mixture

**Hazardous combustion products:** During a fire, smoke may contain the original material in addition to combustion products of varying composition which may be toxic and/or irritating.

**Unusual Fire and Explosion Hazards:** Violent steam generation or eruption may occur upon application of direct water stream to hot liquids. Dense smoke is produced when product burns.

### 5.3 Advice for firefighters

**Fire Fighting Procedures:** Keep people away. Isolate fire and deny unnecessary entry. Consider feasibility of a controlled burn to minimize environment damage. Foam fire extinguishing system is preferred because uncontrolled water can spread possible contamination. Burning liquids may be extinguished by dilution with water. Do not use direct water stream. May spread fire. Burning liquids may be moved by flushing with water to protect personnel and minimize property damage. Water fog, applied gently may be used as a blanket for fire extinguishment. Contain fire water run-off if possible. Fire water run-off, if not contained, may cause environmental damage. Review the "Accidental Release Measures" and the "Ecological Information" sections of this (M)SDS.

**Special protective equipment for firefighters:** Wear positive-pressure self-contained breathing apparatus (SCBA) and protective fire fighting clothing (includes fire fighting helmet, coat, trousers, boots, and gloves). Avoid contact with this material during fire fighting operations. If contact is likely, change to full chemical resistant fire fighting clothing with self-contained breathing apparatus. If this is not available, wear full chemical resistant clothing with self-contained breathing apparatus and fight fire from a remote location. For protective equipment in post-fire or non-fire clean-up situations, refer to the relevant sections.

---

## SECTION 6: ACCIDENTAL RELEASE MEASURES

---

**6.1 Personal precautions, protective equipment and emergency procedures:** Evacuate area. Refer to section 7, Handling, for additional precautionary measures. Only trained and properly protected personnel must be involved in clean-up operations. Keep upwind of spill. Ventilate area of leak or spill. Use appropriate safety equipment. For additional information, refer to Section 8, Exposure Controls and Personal Protection.

**6.2 Environmental precautions:** Prevent from entering into soil, ditches, sewers, waterways and/or groundwater. See Section 12, Ecological Information.

**6.3 Methods and materials for containment and cleaning up:** Contain spilled material if possible. Small spills: Absorb with materials such as: Clay. Dirt. Sand. Sweep up. Collect in suitable and properly labeled containers. Large spills: Contact Dow AgroSciences for clean-up assistance.

**6.4 Reference to other sections:** References to other sections, if applicable, have been provided in the previous sub-sections.

## SECTION 7: HANDLING AND STORAGE

**7.1 Precautions for safe handling:** Keep out of reach of children. Do not get in eyes. Do not swallow. Avoid breathing vapor. Wash thoroughly after handling. Keep container closed. Use with adequate ventilation. See Section 8, EXPOSURE CONTROLS AND PERSONAL PROTECTION. Spills of these organic materials on hot fibrous insulations may lead to lowering of the autoignition temperatures possibly resulting in spontaneous combustion.

**7.2 Conditions for safe storage, including any incompatibilities:** Store in a dry place. Store in original container. Keep container tightly closed when not in use. Do not store near food, foodstuffs, drugs or potable water supplies.

**7.3 Specific end use(s):** Refer to product label.

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1 Control parameters

If exposure limits exist, they are listed below. If no exposure limits are displayed, then no values are applicable.

| Component                           | Regulation | Type of listing                       | Value/Notation               |
|-------------------------------------|------------|---------------------------------------|------------------------------|
| fluoroxypyr-meptyl (ISO)            | Dow IHG    | TWA                                   | 10 mg/m <sup>3</sup>         |
| Dipropylene glycol monomethyl ether | ACGIH      | TWA                                   | 100 ppm                      |
|                                     | ACGIH      | TWA                                   | SKIN                         |
|                                     | ACGIH      | STEL                                  | 150 ppm                      |
|                                     | ACGIH      | STEL                                  | SKIN                         |
|                                     | Dow IHG    | TWA                                   | 10 ppm                       |
|                                     | Dow IHG    | TWA                                   | SKIN                         |
|                                     | Dow IHG    | STEL                                  | 30 ppm                       |
|                                     | Dow IHG    | STEL                                  | SKIN                         |
|                                     | 2000/39/EC | TWA                                   | 308 mg/m <sup>3</sup> 50 ppm |
|                                     | 2000/39/EC | TWA                                   | SKIN                         |
|                                     | GB EH40    | TWA                                   | 308 mg/m <sup>3</sup> 50 ppm |
|                                     | GB EH40    | TWA                                   | SKIN                         |
| 2-methylpentane-2,4-diol            | ACGIH      | TWA Vapour and aerosol                | 25 ppm                       |
|                                     | ACGIH      | TWA Vapour                            | 25 ppm                       |
|                                     | ACGIH      | STEL Vapour and aerosol               | 50 ppm                       |
|                                     | ACGIH      | STEL Vapour                           | 50 ppm                       |
|                                     | ACGIH      | STEL Aerosol only                     | 10 mg/m <sup>3</sup>         |
|                                     | ACGIH      | STEL Inhalable fraction, Aerosol only | 10 mg/m <sup>3</sup>         |
|                                     | Dow IHG    | STEL Aerosol                          | 10 mg/m <sup>3</sup>         |
|                                     | Dow IHG    | TLV-C Vapour                          | 25 ppm                       |
|                                     | GB EH40    | TWA                                   | 123 mg/m <sup>3</sup> 25 ppm |
|                                     | GB EH40    | STEL                                  | 123 mg/m <sup>3</sup> 25 ppm |
| Naphthalene                         | ACGIH      | TWA                                   | 10 ppm                       |
|                                     | ACGIH      | TWA                                   | SKIN                         |

|            |      |                 |
|------------|------|-----------------|
| Dow IHG    | TWA  | 10 ppm          |
| Dow IHG    | TWA  | SKIN            |
| Dow IHG    | STEL | 15 ppm          |
| Dow IHG    | STEL | SKIN            |
| 91/322/EEC | TWA  | 50 mg/m3 10 ppm |

RECOMMENDATIONS IN THIS SECTION ARE FOR MANUFACTURING, COMMERCIAL BLENDING AND PACKAGING WORKERS. APPLICATORS AND HANDLERS SHOULD SEE THE PRODUCT LABEL FOR PROPER PERSONAL PROTECTIVE EQUIPMENT AND CLOTHING.

#### Biological occupational exposure limits

| Components  | CAS-No. | Control parameters | Biological specimen | Sampling time | Permissible concentration | Basis       |
|-------------|---------|--------------------|---------------------|---------------|---------------------------|-------------|
| Naphthalene | 91-20-3 | 1-hydroxypyrene    | Urine               | After shift   | 4 µmol/mol creatinine     | GB EH40 BAT |

#### Derived No Effect Level

Dipropylene glycol monomethyl ether

##### Workers

| Acute systemic effects |            | Acute local effects |            | Long-term systemic effects |            | Long-term local effects |            |
|------------------------|------------|---------------------|------------|----------------------------|------------|-------------------------|------------|
| Dermal                 | Inhalation | Dermal              | Inhalation | Dermal                     | Inhalation | Dermal                  | Inhalation |
| n.a.                   | n.a.       | n.a.                | n.a.       | 65 mg/kg bw/day            | 310 mg/m3  | n.a.                    | n.a.       |

##### Consumers

| Acute systemic effects |            |      | Acute local effects |            | Long-term systemic effects |            |                   | Long-term local effects |            |
|------------------------|------------|------|---------------------|------------|----------------------------|------------|-------------------|-------------------------|------------|
| Dermal                 | Inhalation | Oral | Dermal              | Inhalation | Dermal                     | Inhalation | Oral              | Dermal                  | Inhalation |
| n.a.                   | n.a.       | n.a. | n.a.                | n.a.       | 15 mg/kg bw/day            | 37.2 mg/m3 | 1.67 mg/kg bw/day | n.a.                    | n.a.       |

2-methylpentane-2,4-diol

##### Workers

| Acute systemic effects |            | Acute local effects |            | Long-term systemic effects |            | Long-term local effects |            |
|------------------------|------------|---------------------|------------|----------------------------|------------|-------------------------|------------|
| Dermal                 | Inhalation | Dermal              | Inhalation | Dermal                     | Inhalation | Dermal                  | Inhalation |
| n.a.                   | n.a.       | n.a.                | 98 mg/m3   | 2 mg/kg bw/day             | 14 mg/m3   | n.a.                    | 49 mg/m3   |

##### Consumers

| Acute systemic effects |            |      | Acute local effects |            | Long-term systemic effects |            |                | Long-term local effects |            |
|------------------------|------------|------|---------------------|------------|----------------------------|------------|----------------|-------------------------|------------|
| Dermal                 | Inhalation | Oral | Dermal              | Inhalation | Dermal                     | Inhalation | Oral           | Dermal                  | Inhalation |
| n.a.                   | n.a.       | n.a. | n.a.                | 49 mg/m3   | 1 mg/kg bw/day             | 3.5 mg/m3  | 1 mg/kg bw/day | n.a.                    | 25 mg/m3   |

**Predicted No Effect Concentration**

Dipropylene glycol monomethyl ether

| Compartment              | PNEC       |
|--------------------------|------------|
| Fresh water              | 19 mg/l    |
| Marine sediment          | 1.9 mg/l   |
| Intermittent use/release | 190 mg/l   |
| Sewage treatment plant   | 4168 mg/l  |
| Fresh water sediment     | 70.2 mg/kg |
| Marine sediment          | 7.02 mg/kg |
| Soil                     | 2.74 mg/kg |

2-methylpentane-2,4-diol

| Compartment                | PNEC           |
|----------------------------|----------------|
| Fresh water                | 0.429 mg/l     |
| Marine water               | 0.0429 mg/l    |
| Intermittent use/release   | 4.29 mg/l      |
| Sewage treatment plant     | 20 mg/l        |
| Fresh water sediment       | 1.79 mg/kg     |
| Marine sediment            | 0.179 mg/kg    |
| Soil                       | 0.11 mg/kg     |
| Oral (Secondary Poisoning) | 100 mg/kg food |

**8.2 Exposure controls**

**Engineering controls:** Use local exhaust ventilation, or other engineering controls to maintain airborne levels below exposure limit requirements or guidelines. If there are no applicable exposure limit requirements or guidelines, general ventilation should be sufficient for most operations. Local exhaust ventilation may be necessary for some operations.

**Individual protection measures**

**Eye/face protection:** Use chemical goggles. Chemical goggles should be consistent with EN 166 or equivalent.

**Skin protection**

**Hand protection:** Use chemical resistant gloves classified under Standard EN374: Protective gloves against chemicals and micro-organisms. Examples of preferred glove barrier materials include: Polyethylene. Ethyl vinyl alcohol laminate ("EVAL"). Styrene/butadiene rubber. Viton. Examples of acceptable glove barrier materials include: Butyl rubber. Chlorinated polyethylene. Natural rubber ("latex"). Neoprene. Nitrile/butadiene rubber ("nitrile" or "NBR"). Polyvinyl chloride ("PVC" or "vinyl").

When prolonged or frequently repeated contact may occur, a glove with a protection class of 4 or higher (breakthrough time greater than 120 minutes according to EN 374) is recommended. When only brief contact is expected, a glove with a protection class of 1 or higher (breakthrough time greater than 10 minutes according to EN 374) is recommended. Glove thickness alone is not a good indicator of the level of protection a glove provides against a chemical substance as this level of protection is also highly dependent on the specific composition of the material that the glove is fabricated from. The thickness of the glove must, depending on model and type of material, generally be more than 0.35 mm to offer sufficient protection for prolonged and frequent contact with the substance. As an exception to this general rule it is known that multilayer laminate gloves may offer prolonged protection at thicknesses less than 0.35 mm. Other glove materials with a thickness of less than 0.35 mm may offer sufficient



protection when only brief contact is expected. NOTICE: The selection of a specific glove for a particular application and duration of use in a workplace should also take into account all relevant workplace factors such as, but not limited to: Other chemicals which may be handled, physical requirements (cut/puncture protection, dexterity, thermal protection), potential body reactions to glove materials, as well as the instructions/specifications provided by the glove supplier.

**Other protection:** Use protective clothing chemically resistant to this material. Selection of specific items such as face shield, boots, apron, or full body suit will depend on the task.

**Respiratory protection:** Respiratory protection should be worn when there is a potential to exceed the exposure limit requirements or guidelines. If there are no applicable exposure limit requirements or guidelines, wear respiratory protection when adverse effects, such as respiratory irritation or discomfort have been experienced, or where indicated by your risk assessment process. For most conditions no respiratory protection should be needed; however, if discomfort is experienced, use an approved air-purifying respirator. Use the following CE approved air-purifying respirator: Organic vapor cartridge with a particulate pre-filter, type AP2 (meeting standard EN 14387).

### Environmental exposure controls

See SECTION 7: Handling and storage and SECTION 13: Disposal considerations for measures to prevent excessive environmental exposure during use and waste disposal.

---

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

---

### 9.1 Information on basic physical and chemical properties

#### Appearance

|  |   |
|--|---|
| Physical state                         | Liquid.                                     |
| Color                                  | Brown                                       |
| Odor                                   | Mild  |
| Odor Threshold                         | No test data available                      |
| pH                                     | 5.8 1% pH Electrode (1% aqueous suspension) |
| Melting point/range                    | Not applicable                              |
| Freezing point                         | No data available                           |
| Boiling point (760 mmHg)               | No data available                           |
| Flash point                            | <b>closed cup</b> > 100 °C CIPAC MT 12.3    |
| Evaporation Rate (Butyl Acetate = 1)   | No data available                           |
| Flammability (solid, gas)              | No data available                           |
| Lower explosion limit                  | No data available                           |
| Upper explosion limit                  | No data available                           |
| Vapor Pressure                         | No data available                           |
| Relative Vapor Density (air = 1)       | No data available                           |
| Relative Density (water = 1)           | 1.012 at 20 °C / 4 °C EC Method A3          |
| Water solubility                       | emulsifiable                                |
| Partition coefficient: n-octanol/water | No data available                           |
| Auto-ignition temperature              | > 400 °C EC Method A15                      |

---

|                                  |                         |
|----------------------------------|-------------------------|
| <b>Decomposition temperature</b> | No test data available  |
| <b>Kinematic Viscosity</b>       | 13.1 mm <sup>2</sup> /s |
| <b>Explosive properties</b>      | Not explosive           |
| <b>Oxidizing properties</b>      | No                      |

## 9.2 Other information

|                         |   |
|-------------------------|---|
| <b>Liquid Density</b>   | 1.012 g/cm <sup>3</sup> at 20 °C <i>Digital density meter</i> |
| <b>Molecular weight</b> | No data available   |
| <b>Surface tension</b>  | 31.6 mN/m at 25 °C <i>EC Method A5</i>                        |

NOTE: The physical data presented above are typical values and should not be construed as a specification.

---

## SECTION 10: STABILITY AND REACTIVITY

---

**10.1 Reactivity:** No dangerous reaction known under conditions of normal use.

**10.2 Chemical stability:** Thermally stable at typical use temperatures.

**10.3 Possibility of hazardous reactions:** Polymerization will not occur.

**10.4 Conditions to avoid:** Some components of this product can decompose at elevated temperatures.

**10.5 Incompatible materials:** Avoid contact with: Strong oxidizers.

**10.6 Hazardous decomposition products:** Decomposition products depend upon temperature, air supply and the presence of other materials. Toxic gases are released during decomposition.

---

## SECTION 11: TOXICOLOGICAL INFORMATION

---

*Toxicological information appears in this section when such data is available.*

### 11.1 Information on toxicological effects

#### Acute toxicity

##### Acute oral toxicity

Very low toxicity if swallowed. Harmful effects not anticipated from swallowing small amounts.

As product:

LD50, Rat, female, > 5,000 mg/kg

##### Acute dermal toxicity

Prolonged skin contact is unlikely to result in absorption of harmful amounts.

As product:

LD50, Rat, male and female, > 5,000 mg/kg

##### Acute inhalation toxicity

No adverse effects are anticipated from single exposure to mist. May cause dizziness and drowsiness. Based on the available data, respiratory irritation was not observed.

As product: The LC50 has not been determined. For similar material(s):  
LC50, Rat, 4 Hour, dust/mist, > 5.3 mg/l

**Skin corrosion/irritation**

Brief contact may cause slight skin irritation with local redness.  
May cause drying and flaking of the skin.

**Serious eye damage/eye irritation**

May cause severe irritation with corneal injury which may result in permanent impairment of vision, even blindness. Chemical burns may occur.

**Sensitization**

Did not cause allergic skin reactions when tested in guinea pigs.

For respiratory sensitization:  
No relevant data found.

**Specific Target Organ Systemic Toxicity (Single Exposure)**

May cause drowsiness or dizziness.

**Specific Target Organ Systemic Toxicity (Repeated Exposure)**

For the active ingredient(s):

Fluroxypyr-meptyl.

Based on available data, repeated exposures are not anticipated to cause significant adverse effects.

For similar active ingredient(s).

Aminopyralid.

In animals, effects have been reported on the following organs:

Gastrointestinal tract.

For the minor component(s):

In animals, effects have been reported on the following organs:

Kidney.

Respiratory tract.

Symptoms of excessive exposure may be anesthetic or narcotic effects; dizziness and drowsiness may be observed.

**Carcinogenicity**

For similar active ingredient(s). Did not cause cancer in laboratory animals.

Contains naphthalene which has caused cancer in some laboratory animals. In humans, there is limited evidence of cancer in workers involved in naphthalene production. Limited oral studies in rats were negative.

**Teratogenicity**

For the active ingredient(s): Fluroxypyr-meptyl. Has been toxic to the fetus in laboratory animals at doses toxic to the mother. Did not cause birth defects in laboratory animals.

For similar active ingredient(s). Aminopyralid. Did not cause birth defects or other effects in the fetus even at doses which caused toxic effects in the mother.

**Reproductive toxicity**

For the active ingredient(s): In animal studies, did not interfere with reproduction.

For the major component(s): In laboratory animal studies, effects on reproduction have been seen only at doses that produced significant toxicity to the parent animals.

**Mutagenicity**

For the active ingredient(s): In vitro genetic toxicity studies were negative. Animal genetic toxicity studies were negative.

**Aspiration Hazard**

May be fatal if swallowed and enters airways.

---

**SECTION 12: ECOLOGICAL INFORMATION**

---

*Ecotoxicological information appears in this section when such data is available.*

**12.1 Toxicity****Acute toxicity to fish**

Material is very toxic to aquatic organisms (LC50/EC50/IC50 below 1 mg/L in the most sensitive species).

LC50, *Oncorhynchus mykiss* (rainbow trout), static test, 96 Hour, 6.42 mg/l, OECD Test Guideline 203 or Equivalent

**Acute toxicity to aquatic invertebrates**

EC50, *Daphnia magna* (Water flea), static test, 48 Hour, 28.7 mg/l, OECD Test Guideline 202 or Equivalent

**Acute toxicity to algae/aquatic plants**

ErC50, diatom *Navicula* sp., Growth inhibition, 72 Hour, 7.7 mg/l, OECD Test Guideline 201 or Equivalent

ErC50, *Myriophyllum spicatum*, 14 d, 0.506 mg/l

NOEC, *Myriophyllum spicatum*, 14 d, 0.0977 mg/l

**Toxicity to Above Ground Organisms**

Material is practically non-toxic to birds on an acute basis (LD50 > 2000 mg/kg).

oral LD50, *Colinus virginianus* (Bobwhite quail), > 2,250 mg/kg

oral LD50, *Apis mellifera* (bees), > 100micrograms/bee

contact LD50, *Apis mellifera* (bees), > 200micrograms/bee

**Toxicity to soil-dwelling organisms**

LC50, Eisenia fetida (earthworms), 14 d, 710 mg/kg

## 12.2 Persistence and degradability

### fluoroxypyr-meptyl (ISO)

**Biodegradability:** Material is not readily biodegradable according to OECD/EEC guidelines.

10-day Window: Fail

**Biodegradation:** 32 %

**Exposure time:** 28 d

**Method:** OECD Test Guideline 301D or Equivalent

**Theoretical Oxygen Demand:** 2.2 mg/mg

### **Stability in Water (1/2-life)**

Hydrolysis, half-life, 454 d

### Aminopyralid Potassium

**Biodegradability:** For similar active ingredient(s). Aminopyralid. Based on stringent OECD test guidelines, this material cannot be considered as readily biodegradable; however, these results do not necessarily mean that the material is not biodegradable under environmental conditions.

10-day Window: Fail

**Biodegradation:** 0 %

**Exposure time:** 28 d

**Method:** OECD Test Guideline 301F or Equivalent

### Hydrocarbons, C10, aromatics, <1% naphthalene

**Biodegradability:** Material is inherently biodegradable (reaches > 20% biodegradation in OECD test(s) for inherent biodegradability).

### Dipropylene glycol monomethyl ether

**Biodegradability:** Material is readily biodegradable. Passes OECD test(s) for ready biodegradability. Material is ultimately biodegradable (reaches > 70% mineralization in OECD test(s) for inherent biodegradability).

10-day Window: Pass

**Biodegradation:** 75 %

**Exposure time:** 28 d

**Method:** OECD Test Guideline 301F or Equivalent

### Poly(oxy-1,2-ethanediyl), .alpha.-sulfo-.omega.-(dodecyloxy)-, ammonium salt

**Biodegradability:** No relevant information found.

### 2-methylpentane-2,4-diol

**Biodegradability:** Material is readily biodegradable. Passes OECD test(s) for ready biodegradability.

10-day Window: Pass

**Biodegradation:** 81 %

**Exposure time:** 28 d

**Method:** OECD Test Guideline 301F or Equivalent

### Naphthalene

**Biodegradability:** Material is expected to be readily biodegradable.

### 12.3 Bioaccumulative potential

#### fluoroxypyr-meptyl (ISO)

**Bioaccumulation:** Bioconcentration potential is low (BCF < 100 or Log Pow < 3).

**Partition coefficient: n-octanol/water(log Pow):** 5.04 Measured

**Bioconcentration factor (BCF):** 26 Oncorhynchus mykiss (rainbow trout) Measured

#### Aminopyralid Potassium

**Bioaccumulation:** For similar active ingredient(s). Aminopyralid. Bioconcentration potential is low (BCF < 100 or Log Pow < 3).

#### Hydrocarbons, C10, aromatics, <1% naphthalene

**Bioaccumulation:** No data available for this product. For similar material(s):

Bioconcentration potential is high (BCF > 3000 or Log Pow between 5 and 7).

#### Dipropylene glycol monomethyl ether

**Bioaccumulation:** Bioconcentration potential is low (BCF < 100 or Log Pow < 3).

**Partition coefficient: n-octanol/water(log Pow):** 1.01 Measured

#### Poly(oxy-1,2-ethanediyl), .alpha.-sulfo-omega.-(dodecyloxy)-, ammonium salt

**Bioaccumulation:** No relevant data found.

#### 2-methylpentane-2,4-diol

**Bioaccumulation:** Bioconcentration potential is low (BCF < 100 or Log Pow < 3).

**Partition coefficient: n-octanol/water(log Pow):** 0.58 Estimated.

**Bioconcentration factor (BCF):** 3 Calculated.

#### Naphthalene

**Bioaccumulation:** Bioconcentration potential is moderate (BCF between 100 and 3000 or Log Pow between 3 and 5).

**Partition coefficient: n-octanol/water(log Pow):** 3.3 Measured

**Bioconcentration factor (BCF):** 40 - 300 Fish 28 d Measured

### 12.4 Mobility in soil

#### fluoroxypyr-meptyl (ISO)

Expected to be relatively immobile in soil (Koc > 5000).

**Partition coefficient (Koc):** 6200 - 43000

#### Aminopyralid Potassium

For similar active ingredient(s).

Aminopyralid.

Potential for mobility in soil is very high (Koc between 0 and 50).

#### Hydrocarbons, C10, aromatics, <1% naphthalene

No relevant data found.

#### Dipropylene glycol monomethyl ether

Given its very low Henry's constant, volatilization from natural bodies of water or moist soil is not expected to be an important fate process.

Potential for mobility in soil is very high (Koc between 0 and 50).

**Partition coefficient (Koc):** 0.28 Estimated.

**Poly(oxy-1,2-ethanediyl), .alpha.-sulfo.-omega.-(dodecyloxy)-, ammonium salt**

No relevant data found.

**2-methylpentane-2,4-diol**

Potential for mobility in soil is very high (Koc between 0 and 50).

**Partition coefficient (Koc):** 1 Estimated.

**Naphthalene**

Potential for mobility in soil is medium (Koc between 150 and 500).

**Partition coefficient (Koc):** 240 - 1300 Measured

**12.5 Results of PBT and vPvB assessment**

**fluoroxypyr-meptyl (ISO)**

This substance is not considered to be persistent, bioaccumulating and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulating (vPvB).

**Aminopyralid Potassium**

This substance is not considered to be persistent, bioaccumulating and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulating (vPvB).

**Hydrocarbons, C10, aromatics, <1% naphthalene**

This substance is not considered to be persistent, bioaccumulating and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulating (vPvB).

**Dipropylene glycol monomethyl ether**

This substance is not considered to be persistent, bioaccumulating and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulating (vPvB).

**Poly(oxy-1,2-ethanediyl), .alpha.-sulfo.-omega.-(dodecyloxy)-, ammonium salt**

This substance has not been assessed for persistence, bioaccumulation and toxicity (PBT).

**2-methylpentane-2,4-diol**

This substance is not considered to be very persistent and very bioaccumulating (vPvB).

**Naphthalene**

This substance has not been assessed for persistence, bioaccumulation and toxicity (PBT).

**12.6 Other adverse effects**

**fluoroxypyr-meptyl (ISO)**

This substance is not on the Montreal Protocol list of substances that deplete the ozone layer.

**Aminopyralid Potassium**

This substance is not on the Montreal Protocol list of substances that deplete the ozone layer.

**Hydrocarbons, C10, aromatics, <1% naphthalene**

This substance is not on the Montreal Protocol list of substances that deplete the ozone layer.

**Dipropylene glycol monomethyl ether**

This substance is not on the Montreal Protocol list of substances that deplete the ozone layer.

**Poly(oxy-1,2-ethanediyl), .alpha.-sulfo-omega.-(dodecyloxy)-, ammonium salt**

This substance is not on the Montreal Protocol list of substances that deplete the ozone layer.

**2-methylpentane-2,4-diol**

This substance is not on the Montreal Protocol list of substances that deplete the ozone layer.

**Naphthalene**

This substance is not on the Montreal Protocol list of substances that deplete the ozone layer.

---

**SECTION 13: DISPOSAL CONSIDERATIONS**

---

**13.1 Waste treatment methods**

If wastes and/or containers cannot be disposed of according to the product label directions, disposal of this material must be in accordance with your local or area regulatory authorities. This information presented below only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations. If the material as supplied becomes a waste, follow all applicable regional, national and local laws.

The definitive assignment of this material to the appropriate EWC group and thus its proper EWC code will depend on the use that is made of this material. Contact the authorized waste disposal services.

---

**SECTION 14: TRANSPORT INFORMATION**

---

**Classification for ROAD and Rail transport (ADR/RID):**

|                                   |   |
|-----------------------------------|---|
| 14.1 UN number                    | UN 3082   |
| 14.2 UN proper shipping name      | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.(Aromatic hydrocarbon) |
| 14.3 Transport hazard class(es)   | 9   |
| 14.4 Packing group                | III   |
| 14.5 Environmental hazards        | Aromatic hydrocarbon  |
| 14.6 Special precautions for user | Hazard Identification Number: 90  |

**Classification for SEA transport (IMO-IMDG):**

|                                 |   |
|---------------------------------|---|
| 14.1 UN number                  | UN 3082   |
| 14.2 UN proper shipping name    | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.(Aromatic hydrocarbon) |
| 14.3 Transport hazard class(es) | 9   |
| 14.4 Packing group              | III   |
| 14.5 Environmental hazards      | Aromatic hydrocarbon  |



- 14.6 **Special precautions for user** EmS: F-A, S-F
- 14.7 **Transport in bulk according to Annex I or II of MARPOL 73/78 and the IBC or IGC Code** Consult IMO regulations before transporting ocean bulk

**Classification for AIR transport (IATA/ICAO):**

- 14.1 **UN number** UN 3082
- 14.2 **UN proper shipping name** Environmentally hazardous substance, liquid, n.o.s.(Aromatic hydrocarbon)
- 14.3 **Transport hazard class(es)** 9
- 14.4 **Packing group** III
- 14.5 **Environmental hazards** Not applicable
- 14.6 **Special precautions for user** No data available.

This information is not intended to convey all specific regulatory or operational requirements/information relating to this product. Transportation classifications may vary by container volume and may be influenced by regional or country variations in regulations. Additional transportation system information can be obtained through an authorized sales or customer service representative. It is the responsibility of the transporting organization to follow all applicable laws, regulations and rules relating to the transportation of the material.

---

## SECTION 15: REGULATORY INFORMATION

---

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### REACH Regulation (EC) No 1907/2006

This product contains only components that have been either pre-registered, registered, are exempt from registration, are regarded as registered or are not subject to registration according to Regulation (EC) No. 1907/2006 (REACH). The aforementioned indications of the REACH registration status are provided in good faith and believed to be accurate as of the effective date shown above. However, no warranty, express or implied, is given. It is the buyer's/user's responsibility to ensure that his/her understanding of the regulatory status of this product is correct.

#### Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

Listed in Regulation: ENVIRONMENTAL HAZARDS

Number in Regulation: E1

100 t

200 t

Listed in Regulation: Petroleum products: (a) gasolines and naphthas, (b) kerosenes (including jet fuels), (c) gas oils (including diesel fuels, home heating oils and gas oil blending streams), (d) heavy fuel oils (e) alternative fuels serving the same purposes and with similar properties as regards flammability and environmental hazards as the products referred to in points (a) to (d)

Number in Regulation: 34

2,500 t

25,000 t

### Other regulations

Registration Number: MAPP 18578

### 15.2 Chemical safety assessment

For proper and safe use of this product, please refer to the approval conditions laid down on the product label.

---

## SECTION 16: OTHER INFORMATION

---

### Full text of H-Statements referred to under sections 2 and 3.

|      |   |
|------|---|
| H302 | Harmful if swallowed.                                 |
| H304 | May be fatal if swallowed and enters airways.         |
| H315 | Causes skin irritation.                               |
| H318 | Causes serious eye damage.                            |
| H319 | Causes serious eye irritation.                        |
| H336 | May cause drowsiness or dizziness.                    |
| H351 | Suspected of causing cancer.                          |
| H400 | Very toxic to aquatic life.                           |
| H410 | Very toxic to aquatic life with long lasting effects. |
| H411 | Toxic to aquatic life with long lasting effects.      |

### Classification and procedure used to derive the classification for mixtures according to Regulation (EC) No 1272/2008

Eye Dam. - 1 - H318 - On basis of test data.

Skin Irrit. - 2 - H315 - On basis of test data.

STOT SE - 3 - H336 - Calculation method

Asp. Tox. - 1 - H304 - On basis of test data.

Aquatic Acute - 1 - H400 - On basis of test data.

Aquatic Chronic - 1 - H410 - On basis of test data.

### Revision

Identification Number: 317382 / A293 / Issue Date: 15.08.2018 / Version: 5.1

DAS Code: GF-839

Most recent revision(s) are noted by the bold, double bars in left-hand margin throughout this document.

### Legend

|            |  |
|------------|--|
| 2000/39/EC | Europe. Commission Directive 2000/39/EC establishing a first list of indicative occupational exposure limit values |
| 91/322/EEC | Europe. Commission Directive 91/322/EEC on establishing indicative limit values                                    |
| ACGIH      | USA. ACGIH Threshold Limit Values (TLV)  |
| Dow IHG    | Dow Industrial Hygiene Guideline   |
| GB EH40    | UK. EH40 WEL - Workplace Exposure Limits   |

|                 |  |
|-----------------|--|
| GB EH40 BAT     | UK. Biological monitoring guidance values              |
| SKIN            | Absorbed via skin                                      |
| STEL            | Short-term exposure limit (15-minute reference period) |
| TLV-C           | Ceiling Limit Value                                    |
| TWA             | Limit Value - eight hours                              |
| Acute Tox.      | Acute toxicity   |
| Aquatic Acute   | Acute aquatic toxicity                                 |
| Aquatic Chronic | Chronic aquatic toxicity                               |
| Asp. Tox.       | Aspiration hazard                                      |
| Carc.           | Carcinogenicity  |
| Eye Irrit.      | Eye irritation   |
| Skin Irrit.     | Skin irritation  |
| STOT SE         | Specific target organ toxicity - single exposure       |

### Full text of other abbreviations

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

### Information Source and References

This SDS is prepared by Product Regulatory Services and Hazard Communications Groups from information supplied by internal references within our company.

DOW AGROSCIENCES LIMITED urges each customer or recipient of this (M)SDS to study it carefully and consult appropriate expertise, as necessary or appropriate, to become aware of and understand the data contained in this (M)SDS and any hazards associated with the product. The information herein is provided in good faith and believed to be accurate as of the effective date shown above. However, no warranty, express or implied, is given. Regulatory requirements are subject to change and may differ between various locations. It is the buyer's/user's responsibility to ensure that his activities comply with all federal, state, provincial or local laws. The information presented here pertains only to the product as shipped. Since conditions for use of the product are not under the control of the manufacturer, it is the buyer's/user's duty to determine the conditions necessary for the safe use of this product. Due to the proliferation of sources for information such as manufacturer-specific (M)SDSs, we are not and cannot be responsible for (M)SDSs obtained from any source other than ourselves. If you have obtained an (M)SDS from another source or if you are not sure that the (M)SDS you have is current, please contact us for the most current version.

GB